

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	101	@ad<"20001015" and (plurality or multiple or multiplicity) near3 (client or terminal or user or node) and (plurality or multiple or multiplicity) near3 (display or monitor) same session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:00
L2	1142	@ad<"20001015" and (plurality or multiple or multiplicity) near3 (client or terminal or user or node) and (plurality or multiple or multiplicity) near3 (display or monitor) and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:00
L3	1	@ad<"20001015" and (plurality or multiple or multiplicity) near3 (client or terminal or user or node) and (plurality or multiple or multiplicity) near3 (display or monitor) same session near associat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:00
L4	283	@ad<"20001015" and (plurality or multiple or multiplicity) near3 (client or terminal or user or node) and (plurality or multiple or multiplicity) near3 (display or monitor) and session same associat\$ and (redirect\$ or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:01
L5	149	@ad<"20001015" and (plurality or multiple or multiplicity) near3 (client or terminal or user or node) and (plurality or multiple or multiplicity) near3 (display or monitor) and session with associat\$ and (redirect\$ or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 12:01
L6	69	@ad<"20001015" and (plurality or multiple or multiplicity) near3 (client or terminal or user or node) and (plurality or multiple or multiplicity) near3 (display or monitor) and session with associat\$ and (redirect\$ or transfer) with (connection or session or monitor or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 14:05
L7	9	@ad<"20001015" and x\$server and pluralit\$ with server and plurality with (client or terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:07

L8	0	@ad<"20001015" and x\$server and collabor\$ and (plurality or multiplicity or multiple) near server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:07
S1	2	("5748189").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/06 10:27
S2	172	@ad<"20001015" and (plurality or (first and second)) with server and (plurality or (first and second)) with (client or terminal or device) and connect\$ same session same (redirect or route)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 10:31
S3	11833	@ad<"20001015" and (plurality or (first and second)) with server and (plurality or (first and second)) with (client or terminal or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 10:33
S4	40	@ad<"20001015" and (plurality or (first and second)) with server and (plurality or (first and second)) with (client or terminal or device) and connect\$ same session same (redirect or route) and "same server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 10:35
S5	39	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device) and connect\$ same session same (redirect or route) and "same server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 10:33
S6	11117	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 10:34
S7	39	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device) and connect\$ same session same (redirect or route) and "same server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 11:57

S8	4	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device) and connect\$ same session same (redirect or route) same "same server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 10:41
S9	10	@ad<"20001015" and (709/203.ccls. or 709/223.ccls. or 709/227.ccls. or 709/248.ccls.) and (plurality or (first with second)) with server and connect\$ same (redirect or route) same "same server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 10:40
S10	44	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device or user or node) and connection and connect and session same "same server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 10:45
S11	3	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device or user or node) and connection same connect same session same "same server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 10:43
S12	14	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device or user or node) and (connection same session) with server and (hand\$off or handoff or passoff or pass\$off) with (session or connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:47
S13	0	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device or user or node) and (connection same session) and (hand\$off or handoff or passoff or pass\$off) same (associat\$ or active) near (session or connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:37

S14	0	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device or user or node) and (connection same session) and (hand\$off or handoff or passoff or pass\$off) same (associat\$ or active) near (session or connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:37
S15	0	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device or user or node) and collaborat\$ same "same server" same redirect same connect\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:51
S16	0	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device or user or node) and collaborat\$ and "same server" same redirect same connect\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 13:57
S17	4048	@ad<"20001015" and (plurality or (first and second)) near servers session with connect\$ same join same (redirect or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:43
S18	4035	@ad<"20001015" and (plurality or (first and second)) near servers session with connection same join same (redirect or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:43
S19	4028	@ad<"20001015" and (plurality or (first and second)) near servers session with connection same join with (active or associated) near session same (redirect or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:44
S20	0	@ad<"20001015" and (plurality or (first and second)) with server and session with connection same join with (active or associated) near session same (redirect or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:45
S21	0	@ad<"20001015" and (plurality or (first and second)) with server with connection same join with (active or associated) near session same (redirect or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/06 15:45

S22	0	@ad<"20001015" and (plurality or (first and second)) with server same connection same join with (active or associated) near session and (redirect or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 17:32
S23	0	@ad<"20001015" and (plurality or (first and second)) with server same connection same join with (active or associated) same session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/06 15:46
S24	0	@ad<"20001015" and (plurality or (first and second)) with server and connection same join with (active or associated) same session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/06 15:46
S25	2	@ad<"20001015" and (plurality or (first and second)) with server and connect\$ same join with (active or associated) same session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/06 15:46
S26	1531	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device or user or node) and (hand\$off or handoff or passoff or pass\$off or transfer) with (session or connection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:49
S27	60	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device or user or node) and (hand\$off or handoff or passoff or pass\$off or transfer) with (session or connection) and active near session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/06 15:49
S28	44	@ad<"20001015" and (plurality or (first same second)) with server and (plurality or (first same second)) with (client or terminal or device or user or node) and (hand\$off or handoff or passoff or pass\$off or transfer) with (session or connection) same server and active near session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 11:08

S29	3	@ad<"20001015" and first adj server and second adj server and (plurality or (first same second)) with (client or terminal or device or user or node) and (hand\$off or handoff or passoff or pass\$off or transfer) with (session or connection) same server and active near session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 11:15
S30	667	@ad<"20001015" and first adj server same second adj server and (plurality or (first same second)) with (client or terminal or device or user or node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 11:16
S31	63	@ad<"20001015" and first adj server same second adj server and (plurality or (first same second)) with (client or terminal or device or user or node) same session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 15:55
S32	9	@ad<"20001015" and first adj server same second adj server and (plurality or (first same second)) with (client or terminal or device or user or node) same ("same session" or "same server")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 11:59
S33	2	("5685775").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 13:33
S34	2	("5689639").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 13:33
S35	2	@ad<"20001015" and first adj server same second adj server and (plurality or (first same second)) with (client or terminal or device or user or node) same session same load near balanc\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:10
S36	90	@ad<"20001015" and first adj server same second adj server and (plurality or (first same second)) same session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:11
S37	141	@ad<"20001015" and first adj (server or host) same second adj (server or host) and session same connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:12

S38	25	@ad<"20001015" and first adj (server or host) same second adj (server or host) and session same connection same (redirect\$ or hand\$off or handoff or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:16
S39	8	@ad<"20001015" and first adj (server or host) same second adj (server or host) and first adj (client or terminal or device or user or node) same second adj (client or terminal or device or user or node) and session same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:20
S40	3	@ad<"20001015" and first adj (server or host) same second adj (server or host) and first adj (client or terminal or device or user or node) same second adj (client or terminal or device or user or node) and session same display and (redirect or transfer) same connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:22
S41	29	@ad<"20001015" and first adj (server or host) same second adj (server or host) same first adj (client or terminal or device or user or node) same second adj (client or terminal or device or user or node) and session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:20
S42	3	@ad<"20001015" and first adj (server or host) same second adj (server or host) and first adj (client or terminal or device or user or node or consol\$) same second adj (client or terminal or device or user or node or consol\$) and session same display and (redirect or transfer) same connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:23
S43	19	@ad<"20001015" and first adj (server or host) same second adj (server or host) and first adj (client or terminal or device or user or node or consol\$) same second adj (client or terminal or device or user or node or consol\$) and session and (redirect or transfer) same connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:23

S44	26	@ad<"20001015" and first adj (server or host) same second adj (server or host) and first adj (client or terminal or device or user or node or consol\$) same second adj (client or terminal or device or user or node or consol\$) and "same server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:30
S45	0	@ad<"20001015" and first adj (server or host) same second adj (server or host) and first adj (client or terminal or device or user or node or consol\$) same second adj (client or terminal or device or user or node or consol\$) and "same server" and collabor\$ near session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:40
S46	0	@ad<"20001015" and plurality with (host or server) and plurality with (client or terminal or device or user or node or consol\$) and session same (redirect or transfer) near connection with (client or terminal or device or user or node or consol\$) and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:41
S47	0	@ad<"20001015" and plurality with (host or server) and plurality with (client or terminal or device or user or node or consol\$) and session same (redirect or transfer) near connection with (client or terminal or device or user or node or consol\$) and display and "same server"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:41
S48	203	@ad<"20001015" and plurality with (host or server) and plurality with (client or terminal or device or user or node or consol\$) and session same (redirect or transfer) same connection same (client or terminal or device or user or node or consol\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:42
S49	112	@ad<"20001015" and plurality with (host or server) and plurality with (client or terminal or device or user or node or consol\$) and session same (redirect or transfer) with (client or terminal or device or user or node or consol\$) same connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:42

S50	54	@ad<"20001015" and plurality with (host or server) and plurality with (client or terminal or device or user or node or consol\$) and session same (redirect or transfer) with (client or terminal or device or user or node or consol\$) with connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:45
S51	0	@ad<"20001015" and plurality with (host or server) and plurality with (client or terminal or device or user or node or consol\$) and session same (redirect or transfer) near connection with (client or terminal or device or user or node or consol\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/07 16:45
S52	2	("20020156800").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/07 18:41
S53	62	@ad<"20001015" and plurality with server and video near game with network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 17:33
S54	45	@ad<"20001015" and plurality with server and video near game with network and (redirect\$ or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 17:33
S55	27	@ad<"20001015" and plurality near3 server and video near game with network and (redirect\$ or transfer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 17:34
S56	3	@ad<"20001015" and plurality near3 server and video near game with network and (redirect\$ or transfer) with connection\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2004/12/10 17:34